



Polyurethane Wheel Assembly

Made of cellular polyurethane, these wheels eliminate flat tires and improve productivity while maintaining pneumatic like function. CEW specializes in high-volume production.

PART #	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE LENGTH	BORE ID	HUB COLOR	TIRE COLOR
M00010011AAA	4	1	A	Smooth	1	0.3125	Blk	Blk
M00010012AAA	4	1	Hollow3spk-A	Smooth	1	0.3125	Blk	Blk
M00010012AAB	4	1	Hollow3spk-A	Smooth	1	0.75	Blk	Blk
M00010012AAC	4	1	Hollow3spk-A	Smooth	1	0.3125	Blk	Red
M00010012AAD	4	1	Hollow3spk-A	Smooth	1	0.3125	Blk	Blu
M00010014AAA	4.3	1	Hollow3spk-A	Smooth	1	0.3125	Blk	Blk
M00010014AAB	4.3	1	Hollow3spk-A	Smooth	0.806	1	Blk	Blk
M00010015AAA	5	1	Hollow3spk-A	Pyramid	1	0.3125	Blk	Dk Gry
M00010015AAB	5	1	Hollow3spk-A	Pyramid	1	0.3125	Blk	Dk Gry
M00010015AAC	5	1	Hollow3spk-A	Pyramid	1	0.75	Blk	Dk Gry
M00010016AAA	5	1	Hollow3spk-A	Smooth	1	0.75	Blk	Dk Gry
M00010016AAB	5	1	Hollow3spk-A	Smooth	1	0.3125	Blk	Dk Gry
M00010016AAC	5	1	Hollow3spk-A	Smooth	0.975	0.3125	Blk	Dk Gry
M00010016AAD	5	1	Hollow3spk-A	Smooth	0.975	0.3125	Blk	Red
M00010016AAE	5	1	Hollow3spk-A	Smooth	0.975	0.3125	Blk	Ylw
M00010016AAF	5	1	Hollow3spk-A	Smooth	0.975	0.3125	Blk	Blu
M00010016AAG	5	1	Hollow3spk-A	Smooth	0.806	1	Blk	Red
M00010020AAA	5	1.5	Hollow3spk-A	Oval	0.975	0.3125	Blk	Blk
M00010020AAB	5	1.5	Hollow3spk-A	Oval	0.975	0.3125	Blk	Red

PART #	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE LENGTH	BORE ID	HUB COLOR	TIRE COLOR
M00010020AAC	5	1.5	Hollow3spk-A	Oval	0.975	0.3125	Blk	Ylw
M00010020AAD	5	1.5	Hollow3spk-A	Oval	0.975	0.3125	Blk	Blu
M00010020AAE	5	1.5	Hollow3spk-A	Oval	0.975	0.3125	Blk	Dk Gry
M00010020AAF	5	1.5	Hollow3spk-A	Oval	0.975	0.3125	Blk	Blk
M00010024AAA	6	1.25	Hollow3spk-A	Pyramid	0.975	0.3125	Blk	Dk Gry
M00010024AAC	6	1.25	Hollow3spk-A	Rib	0.975	0.3125	Blk	Ylw
M00010024AAE	6	1.25	Hollow3spk-A	Rib	0.975	0.3125	Blk	Blk
M00010024AAF	6	1.25	Hollow3spk-A	Rib	0.975	0.875	Blk	Blk
M00010027AAD	6	1.5	Hollow3spk-A	Smooth	1	0.3125	Blk	Blk
M00010027AAE	6	1.5	Hollow3spk-A	Smooth	1	0.3125	Blk	Dk Gry
M00010027AAF	6	1.5	Hollow3spk-A	Smooth	1	0.875	Blk	Blk
M00020029AAA	6	2	2pc-A	Rib	2.4	0.875	Blk	Lt Gry
M00020029AAB	6	2	2pc-A	Rib	2.4	0.875	Blk	Lt Gry
M00020029AAD	6	2	2pc-A	Rib	2.4	0.875	Blk	Lt Gry
M00020038AAA	7	2	2pc-A	Rib	2.4	0.875	Blk	Lt Gry
M00020045AAA	8	2	2pc-A	Smooth	2.9	0.4375	Blk	Dk Gry
M00020046AAA	8	2	2pc-A	Rib	0.906	0.375	Blk	Lt Gry
M00020046AAB	8	2	2pc-A	Rib	2.4	0.875	Blk	Dk Gry
M00020046AAC	8	2	2pc-A	Rib	2.43	0.3125	Blk	Lt Gry
M00020047AAA	8	2	2pc-A	Rib	2.43	0.4375	Blk	Lt Gry
M00020048AAA	8	2	2pc-A	Rib	2.43	0.4375	Blk	Lt Gry
M00020048AAC	8	2	2pc-A	Rib	2.43	0.4375	Blk	Dk Gry
M00020048AAD	8	2	2pc-A	Smooth	2.43	0.4375	Blk	Blk
M00020048AAE	8	2	2pc-A	Rib	2.43	0.875	Blk	Lt Gry
M00020457AAA	6	2	2pc-A	Rib	1	0.875	Blk	Blk

PART #	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE LENGTH	BORE ID	HUB COLOR	TIRE COLOR
M00020513AAA	8	2	2pc-A	Rib	2.43	0.4375	Blk	Blk
M00020513AAB	8	2	2pc-A	Rib	2.4	0.4375	Blk	Lt Gry
M00020602AAA	6	2	2pc-A	Rib	2.4	0.4375	Blk	Blk
M00030029AAA	6	2	2pc-A	Rib	2.4	0.3125	Blk	Dk Gry
M00030029AAB	6	2	2pc-A	Rib	2.4	0.3125	Blk	Lt Gry
M00030032AAA	6	2	2pc-A	Rib	0.806	1	Blk	Lt Gry
M00030038AAA	7	2	2pc-A	Rib	2.4	0.3125	Blk	Dk Gry
M00030038AAB	7	2	2pc-A	Rib	1	0.75	Blk	Blk
M00030045AAB	8	2	2pc-A	Smooth	2.4	0.3125	Blk	Dk Gry
M00030046AAA	8	2	2pc-A	Rib	2.43	0.3125	Blk	Lt Gry
M00030048AAA	8	2	2pc-A	Rib	2.43	0.3125	Blk	Lt Gry
M00030048AAB	8	2	5Spk-A	Rib	0.906	0.3125	Blk	Lt Gry
M00030457AAA	6	2	2pc-A	Rib	2.4	0.75	Blk	Blk
M00030457AAB	6	2	2pc-A	Rib	2.4	0.3125	Blk	Blk
M00030457AAC	6	2	2pc-A	Rib	0.806	1	Blk	Blk
M00040031AAA	8	2	2pc-A	Rib	2.43	1.375	Blk	Lt Gry
M00040031AAB	6	2	2pc-A	Rib	2.4	0.4375	Slvr	Lt Gry
M00040031AAC	8	2	2pc-A	Rib	2.43	1.375	Blk	Lt Gry
M00040031AAD	6	2	2pc-A	Rib	2.4	0.625	Slvr	Blk
M00040031AAE	6	2	2pc-A	Rib	2.4	0.4375	Blk	Blk
M00040047AAA	8	2	2pc-A	Rib	2.4	0.906	Blk	Lt Gry
M00050031AAA	6	2	2pc-A	Rib	2.43	0.4375	Blk	Lt Gry
M00050031AAB	6	2	2pc-A	Rib	2.43	0.3125	Blk	Lt Gry
M00050031AAC	6	2	2pc-A	Rib	2.4	0.875	Pnt Slv	Lt Gry
M00050031AAD	8	2	2pc-A	Rib	2.43	0.4375	Blk	Lt Gry

PART #	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE LENGTH	BORE ID	HUB COLOR	TIRE COLOR
M00050031AAE	6	2	2pc-A	Rib	2.4	0.875	Slvr	Lt Gry
M00050031AAF	6	2	2pc-A	Smooth	2.4	0.875	Blk	Blk
M00050031AAG	6	2	2pc-A	Rib	2.4	0.4375	Slvr	Blk
M00060043AAA	8	1.25	3Spk-D	Rib	1.495	0.3125	Blk	Dk Gry
M00060044AAA	8	1.75	3Spk-D	2rib	1.495	0.3125	Blk	Dk Gry
M00500016AAF	5	1	Hollow3spk-A	Round	0.866	0.3125	Blk	Dk Gry
M00500020AAE	5	1	Hollow3spk-A	Oval	0.866	0.3125	Blk	Dk Gry
M00500024AAF	6	1.25	Hollow3spk-A	Rib	0.866	0.3125	Blk	Lt Gry
M00500027AAE	6	1	Hollow3spk-A	Oval	0.866	0.3125	Blk	Dk Gry
M00510025AAA	5	1	8spk-B	Rib	0.866	0.3125	Blk	Dk Gry
M00520019AAA	5	1	5Spk-A	Smooth	0.866	0.3125	Blk	Dk Gry
M00520026AAA	5	1	5Spk-A	Smooth	0.866	0.3125	Blk	Dk Gry
M00540021AAA	6	1.5	5Spk-A	Smooth	0.866	0.3125	Blk	Dk Gry
M00550041AAA	8	1.5	5Spk-A	Smooth	0.866	0.3125	Blk	Dk Gry
M00550041AAB	8	1	5Spk-A	Smooth	1.5	0.75	Blk	Dk Gry
M00560037AAA	8	1.5	Hollow3spk-A	Oval	1.5	0.3125	Blk	Dk Gry
M00600043AAA	8	1.25	8Spk-A	Rib	0.906	0.3125	Blk	Dk Gry
M00600044AAB	8	1	5Spk-A	Rib	1	0.3125	Blk	Dk Gry
M00680011AAA	4	1	3Spk-A	Smooth	1	0.75	Blk	Red
M00680011AAB	4	1	Hollow3spk-A	Smooth	1	0.75	Blk	Ylw
M00680011AAE	4	1	Hollow3spk-A	Smooth	0.866	0.3125	Blk	Blk
M00680011AAF	4	1	Hollow3spk-A	Smooth	1	0.75	Blk	Blk
M00680014AAA	4	1.25	Hollow3spk-A	Smooth	1	0.75	Blk	Red
M00680014AAB	4	1.25	Hollow3spk-A	Smooth	1	0.75	Blk	Ylw
M00680014AAC	4	1.25	Hollow3spk-A	Smooth	1	0.75	Blk	Blu

PART #	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE LENGTH	BORE ID	HUB COLOR	TIRE COLOR
M00680014AAD	4	1.25	Hollow3spk-A	Smooth	1	0.75	Blk	Blk
M00680014AAE	4	1.25	Hollow3spk-A	Smooth	0.866	0.3125	Blk	Blk
M00690033AAA	8	1.25	5Spk-A	Smooth	1	0.3125	Blk	Dk Gry
M00700103AAA	9	3	2pc-A	Rib	2.25	1.375	Blk	Dk Gry
M00730054AAA	11.5	1.5	5Spk-A	Street	1.5	0.5	Blk	Dk Gry
M00730056AAA	12.5	2.25	5Spk-A	Knobby	1.125	0.5	Blk	Lt Gry
M00740003AAA	14	2	3Spk-A	Block	2	1.125	Blk	Dk Gry
M00740054AAA	12.5	2.25	Rib	Idle	2.125	0.5	Blk	Lt Gry
M00740056AAA	12.5	2.25	3Spk-D	Knobby	2.125	0.5	Blk	Dk Gry
M00740056AAB	12.5	2.25	3Spk-D	Knobby	2.125	0.5	Blk	Lt Gry
M00840056AAA	12.5	2.25	5Spk-A	Knobby	2.18	0.625	Blk	Lt Gry
M00870060AAA	16	1.6	5Spk-A	Street	1.125	0.5	Blk	Dk Gry
M00870060AAB	16	1.75	5Spk-A	Street	1.125	0.5	Blk	Dk Gry
M00890036AAC	7.5	1	8Spk-A	Smooth	0.911	0.4375	Blk	Dk Gry
M00930041AAA	8	1	5Spk-A	Smooth	0.866	0.3125	Blk	Dk Gry
M00930041AAB	8	1	5Spk-A	Smooth	0.906	0.4375	Blk	Dk Gry
M00950033AAA	8	1.25	8spk-C	Smooth	0.866	0.3125	Blk	Dk Gry
M00950033AAB	8	1	8spk-C	Smooth	1.5	0.75	Blk	Dk Gry
M00950035AAA	8	1.25	8spk-C	Round	0.866	0.3125	Blk	Dk Gry
M00950035AAB	8	1	8spk-C	Round	1.5	0.75	Blk	Dk Gry
M00950037AAA	8	1.25	8spk-C	Oval	0.866	0.3125	Blk	Dk Gry
M00950037AAB	7.5	1	8spk-C	Oval	1.5	0.75	Blk	Dk Gry
M00950043AAA	8	1.25	8spk-C	Rib	0.906	0.3125	Blk	Dk Gry
M00950043AAD	8	1.25	8spk-C	Rib	1.5	0.75	Blk	Dk Gry
M00950043AAE	8	1	8spk-C	Smooth	1.5	0.3125	Blk	Dk Gry

PART #	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE LENGTH	BORE ID	HUB COLOR	TIRE COLOR
M00950044AAB	8	1.75	8spk-C	Rib	0.906	0.3125	Blk	Dk Gry
M00950044AAC	8	1	8spk-C	Rib	1.5	0.75	Blk	Dk Gry
M00960033AAA	8	1.25	5Spk-A	Smooth	1.5	0.3125	Blk	Dk Gry
M00960036AAA	8	1.25	5Spk-A	Round	0.866	0.3125	Blk	Dk Gry
M00960037AAA	7.5	1	5Spk-A	Smooth	0.866	0.3125	Blk	Dk Gry
M03150036AAA	7.5	1	8Spk-A	Smooth	2.125	0.875	Blk	Dk Gry
M04120040AAA	8	1	8Spk-A	Pyramid	1.5	0.3125	Blk	Dk Gry
M04160043AAA	8	1.25	5Spk-A	Rib	1.5	0.75	Blk	Dk Gry
M04210029AAA	6	2	2pc-A	Rib	2.4	0.875	Blk	Dk Gry
M06500182RAA	9.75	3	X10-A	Sawtooth	2.575	0.625	Blk	Blk
M08860007RAA	20	2	7Spk-A	Knobby	2.285	0.625	Blk	Blk
M08860007RAB	20	2	7Spk-A	Knobby	2.285	0.625	Blk	Blk
M08860007WAA	20	2	7Spk-A	Knobby	2.285	0.625	Blk	Blk
M70050000RAI	24	1	5SpkLC-B	-	2.125	0.5	Blk	Dk Gry
M70050087AAA	24	1	5SpkLC-B	Street	3	0.5	Blk	Dk Gry
M70050087AAB	24	1	5SpkLC-B	Street	3	0.5	Blk	Lt Gry
M70050087AAC	24	1	5SpkLC-B	Street	1.125	0.5	Wht	Dk Gry
M70050087AAD	24	1	5SpkLC-B	Street	1.125	0.5	Blu	Dk Gry
M70050087AAE	24	1	5SpkLC-B	Street	2.25	0.5	Blk	Dk Gry
M70050087AAF	24	1	5SpkLC-B	Street	2.25	0.5	Blk	Dk Gry
M70050087AAG	24	1	5SpkLC-B	Street	2.25	0.5	Blk	Dk Gry
M70050089AAD	24	1	5SpkLC-B	Touring	2.125	0.5	Blk	Dk Gry
M70050089AAG	24	1	5SpkLC-B	Touring	3	0.625	Blk	Dk Gry
M70050089AAH	24	1	5SpkLC-B	Street	2.25	1.38	Blk	Lt Gry
M70050089AAJ	24	1	5SpkLC-B	Touring	2.125	0.5	Blk	Dk Gry

PART #	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE LENGTH	BORE ID	HUB COLOR	TIRE COLOR
M70050089AAK	24	1	5SpkLC-B	Touring	2.25	1.25	Blk	Lt Gry
M70050089AAL	24	1	5SpkLC-B	Touring	2.25	1.125	Blk	Lt Gry
M70050129AAC	24	1	5SpkLC-B	Herringbone	2.25	1.25	Blk	Red
M70050129AAD	24	1	5SpkLC-B	Herringbone	2.25	1.25	Blk	Blk
M70050129AAE	24	1	5SpkLC-B	Herringbone	2.25	1.125	Blk	Blk
M70050129AAF	24	1	5SpkLC-A	Herringbone	3	0.5	Blk	Blk
M70050129AAJ	24	1	5SpkLC-A	Herringbone	3	0.4375	Blk	Blk
M70050129AAK	24	1	5SpkLC-B	Herringbone	2.25	1.125	Blu	Blk
M70050129AAL	24	1	5SpkLC-B	Herringbone	2.25	1.125	Red	Blk
M70050129AAM	24	1	5SpkLC-B	Herringbone	2.25	1.125	Wht	Blk
M70050129AAN	24	1	5SpkLC-B	Herringbone	2.25	1.125	Blk	Blk
M70050129AAO	24	1	5SpkLC-B	Herringbone	2.25	1.125	Blk	Red
M70050129AAP	24	1	5SpkLC-B	Herringbone	2.25	1.125	Blk	Red
M70050129AAQ	24	1	5SpkLC-B	Herringbone	1	1.125	Red	Red
M70050129AAR	24	1	5SpkLC-B	Herringbone	1	1.125	Blu	Blu
M70050129AAS	24	1	5SpkLC-B	Herringbone	2.25	1.125	Gloss Blk	Red
M70050129AAT	24	1	5SpkLC-B	Herringbone	2.25	1.125	Wht	Red
M70050129AAU	24	1	5SpkLC-B	Herringbone	1.125	0.5	Wht	Blu
M70050129AAV	24	1	5SpkLC-B	Herringbone	2.25	0.5	Blk	Blk
M70050129AAW	24	1	5SpkLC-B	Herringbone	1.125	0.5	Blk	Red
M70050129AAX	24	1	5SpkLC-B	Herringbone	1.125	0.5	Wht	Pnk
M70070007AAA	20.5	2.15	5SpkLC-A	Knobby	2.25	0.625	Blk	Blk
M70070007AAC	20.5	2.15	5SpkLC-A	Knobby	2.3	0.625	Blk	Blk
M70070007AAF	20.5	2.15	5SpkLC-A	Knobby	2.3	0.625	Blk	Blk
M70070007RAA	20.5	2.125	5SpkLC-A	Knobby	1.375	0.5	Blk	Blk

PART #	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE LENGTH	BORE ID	HUB COLOR	TIRE COLOR
M70070007RAE	20.5	1	5SpkLC-A	Knobby	2.3	0.625	Blk	Blk
M70070007RAF	20.5	2.25	5SpkLC-A	Knobby	2.3	0.625	Blk	Blk
M70070007RAG	20.5	1	5SpkLC-A	Knobby	2.3	0.625	Blk	Blk
M70070066AAC	20	1.75	5SpkLC-A	Street	2.25	1.38	Blk	Dk Gry
M70070066AAG	20	1.75	5SpkLC-A	Round	2.25	0.5	Blk	Lt Gry
M70070066AAI	20	2	5SpkLC-A	Street	2.25	1.375	Blk	Dk Gry
M70070067AAA	20	2.125	5SpkLC-A	Lug	2.25	0.5	Blk	Dk Gry
M70070465AAA	20	2.25	5SpkLC-A	Knobby	2.25	1.38	Blk	Blk
M70070466AAD	20.5	2.15	5SpkLC-A	Street	2.25	0.625	Blk	Blk
M70070466AAH	20.5	1.75	5SpkLC-A	Street	2.25	1.375	Blk	Lt Gry
M70070466AAJ	20.5	1.75	5SpkLC-A	Smooth	2.75	1.36	Blk	Lt Gry
M70080064RAA	20	1	5SpkLC-B	Street	3	1.375	Blk	Dk Gry
M70080064RAB	20	1	5SpkLC-B	Street	3	1.375	Wht	Blk
M70080064RAC	20	1	5SpkLC-B	Street	3	1.375	Blu	Blk
M70080064RAD	20	1	5SpkLC-B	Street	3	1.125	Gloss Blk	Blk
M70080064RAE	20	1	5SpkLC-B	Street	3	1.125	Red	Blk
M70080064RAF	20	1	5SpkLC-B	Street	3	0.625	Gloss Blk	Dk Gry
M70080064RAG	20	1	5SpkLC-B	Street	1.625	0.5	Wht	Dk Gry
M70080064RAH	20	1	5SpkLC-B	Street	1.625	0.5	Pnk	Pnk
M70080064RAI	20	1	5SpkLC-B	Street	1.625	0.5	Blu	Blu
M70080064RAJ	20	1	5SpkLC-B	Street	1.375	0.625	Blk	Dk Gry
M70080064RAK	20	1	5SpkLC-B	Street	1.125	0.5	Pnk	Dk Gry
M70080064RAL	20	1	5SpkLC-B	Street	2.25	0.5	Blk	Dk Gry
M70080064RAM	20	1	5SpkLC-B	Street	2.25	0.5	Blk	Dk Gry
M70080064RAN	20	1	5SpkLC-B	Street	2.25	0.5	Blkk	Dk Gry

PART #	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE LENGTH	BORE ID	HUB COLOR	TIRE COLOR
M70080605AAA	20	1	5SpkLC-B	Herringbone	1.625	0.5	Red	Blk
M70080605AAB	20	1	5SpkLC-B	Herringbone	1.625	0.5	Blu	Blu
M70080605AAC	20	1	5SpkLC-B	Herringbone	1.625	0.5	Wht	Blk
M70080605AAD	20	1	5SpkLC-B	Herringbone	1.375	0.625	Blk	Blk
M70090070RAA	22	1	5SpkLC-B	Street	3	1.375	Blk	Dk Gry
M70090070RAB	22	1	5SpkLC-B	Street	1.375	0.625	Blk	Dk Gry
M70090070RAC	22	1	5SpkLC-B	Street	1.375	0.5	Red	Blk
M70090070RAD	22	1	5SpkLC-B	Street	1.375	0.5	Blu	Blk
M70090070RAE	22	1	5SpkLC-B	Street	1.375	0.5	Wht	Blk
M70090070RAF	22	1	5SpkLC-B	Street	2.25	0.5	Blk	Dk Gry
M70090070RAG	22	1	5SpkLC-B	Street	2.25	0.5	Blk	Dk Gry
M70170129AAA	24	1	3spkLC-B	Herringbone	1.125	1.6	Gloss Blk	Red
M70170129AAB	24	1	3spkLC-B	Herringbone	1.125	1.6	Wht	Blk
M70170129AAC	24	1	3spkLC-B	Herringbone	1.125	1.6	Red	Blk
M70170129AAD	24	1	3spkLC-B	Herringbone	1.125	1.6	Red	Red
M70170129AAE	24	1	3spkLC-B	Herringbone	1.125	1.6	Blk	Blk
M70170129AAF	24	1	3spkLC-B	Herringbone	1.125	1.6	Wht	Red
M70170129AAG	24	1	3spkLC-B	Herringbone	1.125	0.5	Ylw	Blk
M70170129AAH	24	1	3spkLC-B	Herringbone	1.125	0.5	Blu	Blu
M70180129AAC	24	1	3spkLC-B	Herringbone	1	1.24	Gloss Blk	Red
M80440057AAA	14	1.5	3Spk-D	Herringbone	2.207	0.5	Blk	Dk Gry
M80450060AAA	16	1.75	5Spk-A	Herringbone	2.25	0.5625	Blk	Dk Gry
M80460065AAA	20	1.5	5Spk-A	Street	2.34	0.5625	Blk	Dk Gry
M80470066AAA	20	1.75	5Spk-A	Street	2.295	0.5	Blk	Dk Gry
M80480060AAA	16	1.75	5Spk-A	Herringbone	1.85	0.5	Blk	Dk Gry

PART #	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE LENGTH	BORE ID	HUB COLOR	TIRE COLOR
M80490129ACX	24	1	WireSpk	Herringbone	2.5	0.5	Slvr	Dk Gry
M80500064AAB	20	1.25	WireSpk	Street	2.5	0.5	Slvr	Dk Gry
M80750056AAA	12.5	2.25	5Spk-A	Knobby	-	-	Blk	Dk Gry
M90010014AAC	4.3	1.25	3Spk-D	Smooth	1	0.75	Slvr	Red
M90010014AAD	4.3	1.25	3Spk-D	Smooth	1	0.75	Slvr	Ylw
M90010016AAA	5	1	3Spk-D	Smooth	1	0.75	Slvr	Blu
M90010016AAB	5	1	3Spk-D	Smooth	1	0.75	Slvr	Ylw
M90010016AAC	4	1	3Spk-D	Round	1	0.3125	Silver	Blk
M90010020AAA	5	1.5	3Spk-D	Oval	1	0.75	Slvr	Blk
M90010024AAA	6	1.25	3Spk-D	Rib	1	0.875	Slvr	Blk
M90040016AAC	5	1	3Spk-D	Smooth	1	0.75	Slvr	Red
M90040020AAA	5	1.5	3Spk-D	Smooth	1	0.875	Slvr	Blu
M90040020AAB	5	1.5	3Spk-D	Smooth	1	0.875	Slvr	Blk
M90040020AAC	5	1.5	3Spk-D	Smooth	1	0.3125	Slvr	Red
M90040020AAD	5	1.5	3Spk-D	Smooth	1	0.75	Blk	Ylw
M90040024AAB	6	1.25	3Spk-D	Rib	1	0.875	Slvr	Blk
M90040027AAA	6	1.5	3Spk-D	Oval	1	0.875	Slvr	Blk
M90040027AAB	6	1.5	3Spk-D	Oval	1	0.875	Slvr	Red
M90040027AAC	6	1.5	3Spk-D	Oval	1	0.875	Slvr	Ylw
M90050099AAA	8	2.5	3pc-A	Rib	1.375	0.625	Slvr	Blk
M90050300AAA	16	4	1pc-A	Diamond	2.5	0.375	Wht	Dk Gry
M90060098AAB	10	2.75	3pc-A	Sawtooth	1.375	0.625	Slvr	Blk
M99980001AAA	35	1	WireSpk	Street	2.25	1.375	Slvr	Dk Gry
M99990011AAA	4	1	3Spk-D	Smooth	1	0.3125	Slvr	Red
M99990011AAB	4	1	3Spk-D	Smooth	1	0.3125	Slvr	Blu

PART #	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE LENGTH	BORE ID	HUB COLOR	TIRE COLOR
M99990011AAC	4	1	3Spk-D	Smooth	1	0.3125	Slvr	Blk
M99990011AAD	4	1	3Spk-D	Smooth	1	0.3125	Slvr	Ylw
M99990014AAA	4.3	1.25	3Spk-D	Smooth	1	0.3125	Slvr	Blu
M99990014AAB	4.3	1.25	3Spk-D	Smooth	1	0.3125	Slvr	Blk
M99990098AAB	10	3	3pc-A	Sawtooth	2.25	1.375	Slvr	Blk
M99990100AAA	14	4	3Spk-D	Sawtooth	4	0.75	Wht	Blk
M90030089AAA	24	1	WireSpk	Street	1	0.5	Slvr	Lt Gry
M-24-4	24	4	-	-	-	-	-	-
M-20-0.75	20	-	-	-	-	0.75	-	-
M-20-2.7Spk-A-Knobby-2.285-0.75-Blk-Blk	20	2	7Spk-A	Knobby	2.285	0.75	Blk	Blk
M-20-5Spk-A-Knobby-0.75	20	-	5Spk-A	Knobby	-	0.75	-	-
M-24-1-3Spk-A-Herringbone-Blk	24	1	3Spk-A	Herringbone	-	-	Blk	-
M-20-1.25	20	-	-	-	-	1.25	-	-
M-20-4	20	4	-	-	-	-	-	-
M-12.5-1.5-3Spk-D-Herringbone-2.25-0.5-Blk-Lt Gry	12.5	1.5	3Spk-D	Herringbone	2.25	0.5	Blk	Lt Gry
M-7.5-1-8spk-B	7.5	1	8spk-B	-	-	-	-	-
M-25-1-Block	25	1	-	Block	-	-	-	-
M-25-1-Block-Blu-Blk	25	1	-	Block	-	-	Blu	Blk

PART #	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE LENGTH	BORE ID	HUB COLOR	TIRE COLOR
M-9-Street	9	-	-	Street	-	-	-	-
M-8-2-1.125-Blk-Blk	8	2	-	-	-	1.125	Blk	Blk
M-16-Blk-Blk	16	-	-	-	-	-	Blk	Blk
M-14-1.25-5Spk-A-Street-2.5-Blk-Blk	14	1.25	5Spk-A	Street	2.5	-	Blk	Blk
M-14-1.25-5Spk-A-Street-2.5-Blk-Blk	14	1.25	5Spk-A	Street	2.5	-	Blk	Blk
M-4-0.5	4	-	-	-	-	0.5	-	-
M-7-1.25-Rib-Smooth-1-1.125	7	1.25	Rib	Smooth	1	1.125	-	-
M-6-2-2pc-A-Smooth-2.125-0.875-Blk-Blk	6	2	2pc-A	Smooth	2.125	0.875	Blk	Blk
M-35-Knobby-Blu	35	-	-	Knobby	-	-	Blu	-
M-5-2-Gloss Blk-Dk Gry	5	2	-	-	-	-	Gloss Blk	Dk Gry
M-25-1.25-1pc-A-Sawtooth-Blk-Dk Gry	25	1.25	1pc-A	Sawtooth	-	-	Blk	Dk Gry
M-25-1.25-1pc-A-Sawtooth-Blk-Dk Gry	25	1.25	1pc-A	Sawtooth	-	-	Blk	Dk Gry

PART #	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE LENGTH	BORE ID	HUB COLOR	TIRE COLOR
M-25-1.25-1pc-A-Sawtooth-Blk-Dk Gry	25	1.25	1pc-A	Sawtooth	-	-	Blk	Dk Gry
M-25-1.25-1pc-A-Sawtooth-Blk-Dk Gry	25	1.25	1pc-A	Sawtooth	-	-	Blk	Dk Gry
M-8-1pc-A	8	-	1pc-A	-	-	-	-	-
M-24-3Spk-A-Red	24	-	3Spk-A	-	-	-	Red	-
M-11.5-4-Smooth-4-1	11.5	4	-	Smooth	4	1	-	-
M-8-1.25-3Spk-A	8	1.25	3Spk-A	-	-	-	-	-
M-8-1.25-3SpkLC-A	8	1.25	3SpkLC-A	-	-	-	-	-
M-8-1.25-3SpkLC-B	8	1.25	3SpkLC-B	-	-	-	-	-
M-14-1.25	14	-	-	-	-	1.25	-	-
M-24-4-3Spk-A-Street-4-1.6-Red-Lt Gry	24	4	3Spk-A	Street	4	1.6	Red	Lt Gry
M-24-4-3Spk-A-Street-4-1.6-Red-Lt Gry	24	4	3Spk-A	Street	4	1.6	Red	Lt Gry