

FENCING WHEELCHAIR ORDER / MEASUREMENT FORM

USER

NAME SURNAME	
DISABILITY	
ID NUMBER	
PHONE NUMBER	
E-MAIL	
ADDRESS	

ORDERED BY

NAME SURNAME	
PHONE NUMBER	
E-MAIL	
TAX NR	
ADDRESS	

ORDER DATE/..../.....	SERIAL NUMBER	USER; NAME SURNAME SIGNATURE/..../..... I here by accept that all the mesurements belong to me
PRODUCTION DATE/..../.....		

MEASUREMENTS

HEIGHT / WEIGHT :

CLASSIFICATION POINT :

Seat Width
(Inside to inside of sideguards)

Seat Length

Add. Seat Length

Ergonomic Seat Length

Backrest Height

Rear Frame Height

Front Frame Height

Frame Length

Balance Center

Castor Pin Distance

Taper Width

Camber Angle

MEASUREMENTS

FOOTREST


Length

Width

MATERIAL:

☐ Aluminum


☐ Carbon(optional)



SIDEGUARD MEASUREMENTS


☐ LEFT HANDED

☐ RIGHT HANDED



NOTE:
SIDEGUARD LENGTH MUST BE MINIMUM 200MM
SIDEGUARD HEIGHT MUST BE BETWEEN 100MM MIN AND 100MM MAX FROM THE CUSHION

REAR WHEEL GAP



STRAP DETAILS

PELVI LOC (optional) ☐ Medium ☐ Large



VELCRO ☐

☐ 100mm Velcro

☐ 50mm Velcro

Strap Length

Strap Length



SEAT

☐ Carbon(optional)

☐ Aluminum

REAR WHEEL

☐ 24" ☐ 25" ☐ 26"

☐ EXTRA ULTRA LIGHT

PUSHING RIM

☐ Narrow

☐ Wide

TIRE OPTIONS

If in stock;

☐ KENDA

SEATING FLOOR

☐ With Adjustable Strap

BACK UPHOLSTERY

☐ With Adjustable Strap

CUSHION

☐ Soft
☐ Medium
☐ Hard
☐ 50mm
☐ 75mm
☐ 100mm

FRAME COLOR

SPECIFY POWDER COLOR

SPECIAL REQUEST AND DIMENSIONS
