



T-ROCKS

ORDER ☐

OFFER ☐

Orthopedics stamp

REFERENCE

DATE

CODE

DESCRIPTION

T-ROCKS

16" or 20" wheel, programmable and customisable Triride electronics, 5 power levels, reverse gear, cruise control, assisted load, dual driving mode (Normal/Sport), electronic regenerative brake, LCD display, 48v single battery, HT motor, carbon mudguard.

USER'S PERSONAL DATA**

Name
Surname
Mobile
E-mail
Age
Pathology


Note

WHEELCHAIR FEATURES

Brand
Model
Front tubes diameter mm
Seat width cm
Seat depth (b) cm
Toe to front tube distance (a)*** cm
Ground to knee height (d) cm
Arms to shoulder length (c) cm
Front tubes angle degree
User's weight kg

Footrest Fixed ☐ Internal ☐
Removable ☐ External ☐

*** For wheelchairs with removable footrests, measure as per "a" from toe to front tube



TRIRIDE CONFIGURATION

Wheel	16" Cross Long Life		☐	standard
	20" Cross Long Life		☐	standard
Electronics	BS-O-096	Performance pack: IBS with button + ICC + ECODRIVE		included
	BS-O-113	MDC - Motion Direct Control	☐	optional
	BS-O-076	Analog brake with input command (not compatible with MDC)	☐	optional
	BS-O-077	Automatic brake on accelerator release (included with tetra commands)	☐	optional
	BS-O-079	Emergency brake with remote control for parent/helper (not compatible with MDC)	☐	optional
Display LCD	BS-C-077	Display LCD Special with USB	☐	standard
	BS-C-011	Display LCD Special colour NO USB	☐	standard
	BS-C-078	Display LCD Colour with USB	☐	optional
Acceleratore	BS-R-299	Thumb throttle	☐ LHS RHS ☐	☐ standard
	LHS: BS-R-349 RHS: BS-R-348	Thumb throttle with long lever	☐ LHS RHS ☐	☐ optional
	LHS: BS-R-333 RHS: BS-R-335	Half twist throttle	☐ LHS RHS ☐	☐ optional
Brakes	LHS: BS-R-319 RHS: BS-R-318	Single mechanical brake	☐ LHS RHS ☐	☐ standard
	LHS: BS-O-203 RHS: BS-O-273	Single mechanical parking brake	☐ LHS RHS ☐	☐ optional
	LHS: BS-O-274 RHS: BS-O-275	Single hydraulic brake	☐ LHS RHS ☐	☐ optional
	BS-O-218	Double mechanical brake		☐ optional
	BS-O-194	Double hydraulic brake		☐ optional
Frame colour	BS-O-217-N	Black Ral 9005		☐ standard
	BS-O-217-R	Red Ral 3020		☐ standard
	BS-O-217-W	White Ral 9003		☐ optional
	BS-O-217-G	Yellow Ral 1023		☐ optional
	BS-O-217-A	Orange Ral 2004		☐ optional
	BS-O-217-B	Blue Ral 5017		☐ optional
	BS-O-217	RAL on request N° _____		☐ optional
	BS-O-078-P	Polished		☐ optional
Custom graphics	BS-O-087-M	Camouflage		☐ optional
	BS-O-087-C	Carbon effect		☐ optional
	BS-O-087-F	Graffiti wrap - black and white		☐ optional
Handlescrews	BS-O-301	Handlescrews - Black		☐ standard
	BS-O-128	Handlescrews - Blue		☐ standard
	BS-O-127	Handlescrews - Orange		☐ standard
	BS-O-129	Handlescrews - Red		☐ standard
	BS-O-130	Handlescrews - Green		☐ standard
	BS-R-330	Lever handlescrews		☐ standard

OPTIONALS

**IN ORDER TO EVALUATE THE INSTALLATION OF TETRAPLEGIC COMMANDS FOR REDUCED MOBILITY TO ARMS ON THIS MODEL
PLEASE CONTACT THE COMPANY**

Clamps for second wheelchair	Brand _____	Model _____	☐	on request
Tilting frame + arms for second wheelchair	Width _____cm	Depth _____cm	☐	optional
Footrest :	☐ internal	☐ external	☐ fixed	☐ removable
Battery 48V 6.2 Ah USB (297 Wh)		BS-R-368	☐	optional
Battery 48V 10.5 AhUSB (504 Wh)		BS-R-395	☐	optional
Neoprene battery cover		BS-O-012	☐	optional
Front spare battery holder with switch		BS-R-294	☐	optional
Central stand		BS-O-131	☐	optional
Central arch stand		BS-O-083	☐	optional
Lateral stand		BS-O-278	☐	optional
Rearview mirror	☐ LHS	☐ RHS	BS-O-229	☐ optional
Carry trailer for rigid wheelchair	Rear axle diameter _____cm	BS-O-251	☐	optional
Carry trailer for foldable wheelchair		BS-O-257	☐	on request
Metal basket (not available with double battery)		BS-O-010	☐	optional
Nylon basket (not available with double battery)		BS-O-011	☐	optional
Waterproof leg cover		BS-O-214	☐	optional
Triride bag		BS-O-213	☐	optional
Ring stopper for Triride arms		BS-O-114	☐	optional
Laser customized engraving on the frame (only for titanium and black frame)		BS-O-174	☐	optional
Digital customized engraving on the frame		BS-O-156	☐	optional
Custom logo sticker on the frame		BS-O-157	☐	optional
Front light activated from display		BS-O-081	☐	standard
Front light 1200 Lumen		BS-O-232	☐	optional
Front light USB		BS-O-198	☐	optional
Rear light USB		BS-O-180	☐	optional
Rear axle extension (please fill and attach the specific form)		BS-O-015	☐	on request

For complete accessories and spare parts list check our website: www.trirideitalia.com

* Prices are intended for the public and without VAT

**Mandatory fields for warranty

NB: The company reserves the exclusive right to make changes on the models, without notification, if considered useful for the improvement of the product.